



DRIVE IN
style



www.ashmamotors.com

Catalog

/ashmamotors    



A1

Model

Seating Capacity

Load Capacity

Speedo Meter

Chassis Type

Motor Type

Motor Power

Controller

Battery Capacity

Battery Voltage

Brake (Front & Rear)

Wheel Size (Front & Rear)

Front Sock Absorber

Rear Sock Absorber

L*W*H

ASHMA A1

4 + 1 (Driver)

520 KG

Digital Meter

Strongest Anti-Rust Chassis

DC Motor

1200 W

24 Tube (48Volt/50AH)

130-160 AH

48 Volt (4 Battery)

1000 MM Front, Standard Drum Rear

3*75-12

30x14 mm Spring Shocker

20 mm Shocker

2800 1000 1800 (MM)

A1- MODEL FREE ACCESSORIES



First Aid Kit



T-Shirt



Tool Kit



Roof Carrer



N1



Seating Capacity	4 + 1 (Driver)
Load Capacity	520 KG
Speedo Meter	Digital Meter
Motor Power	DC Motor/1200 W
Controller	24 Tube (48Volt/55AH)
Battery Voltage	48 Volt (4 Battery)
Brake (Front & Rear)	1000 MM Front, Standard Drum Rear
Wheel Size (Front & Rear)	3*75-12 (Alloy / Iron)
Front Sock Absorber	30x14 mm Spring Shocker
L*W*H	2800* 1000 *1800 (MM)
Colour	Metalic
Chassis Type	Strongest Anti-Rust Chassis



**MOTOR , CONTROLLER : ,CHARGER ,
CHASSIS , TYERS , BATTERY**




SPECIFICATIONS


Rim	Heavy Duty Iron Rim
Motor	BLDC 2000W 60V
Rear Axle	46 Inch Heavy Duty
Differential	46 Inch Differential
Brake	Drum Break
Weight	320 KG (Without Battery)
Controller	2000W 60V
Shocker	43 MM Heavy Duty (Hydraulic)
Battery Voltage	60 Volt (5 Battery)
Load Capacity	1200 KG/1500 KG



Digital Meter



Good Quality Music System



4.50*12 Tyre



Folding System
Body = 6ft*4ft

ASHMA MOTORS PVT. LTD.




SPECIFICATIONS


Rim	Heavy Duty Iron Rim
Motor	BLDC 2000W 60V
Rear Axle	46 Inch Heavy Duty
Differential	46 Inch Differential
Brake	Drum Break
Weight	320 KG (Without Battery)
Controller	2000W 60V
Shocker	43 MM Heavy Duty (Hydraulic)
Battery Voltage	60 Volt (5 Battery)
Load Capacity	1200 KG/1500 KG



Digital Meter



Good Quality Music System



4.50*12 Tyre



Folding System
Body = 6ft*4ft

ASHMA MOTORS PVT. LTD.